



KONICA MINOLTA



OFFICE SYSTEMS LINE-UP

JUNE 2026

Giving Shape to Ideas

INDEX



Colour A3 multifunctional

bizhub C268i	4
bizhub C251i	5
bizhub C301i	6
bizhub C361i	7
bizhub C451i	8
bizhub C551i	9
bizhub C651i	10
bizhub C751i	11

Colour A4 multifunctional

bizhub C3321i	12
bizhub C3351i	13
bizhub C4051i	14
bizhub C4751i	15

Colour A4 printer

bizhub C3301i	16
bizhub C4001i	17

Black & White A3 multifunctional

bizhub 258i	18
bizhub 328i	19
bizhub 301i	20
bizhub 361i	21
bizhub 451i	22
bizhub 551i	23
bizhub 651i	24
bizhub 751i	25

Black & White A4 multifunctional

bizhub 4221i	26
bizhub 5021i	27
bizhub 4051i	28
bizhub 4751i	29

Black & White A4 printer

bizhub 4201i	30
bizhub 5001i	31
bizhub 4701i	32

WORKING ENVIRONMENTS IN STEP WITH TODAY'S WORLD

MAKING OFFICES MORE EFFICIENT

From small businesses to big enterprises, companies today strive to find the individual document solution best suited to their specific and diverse business needs. The comprehensive services, systems and solutions that Konica Minolta provides cover the requirements of the entire document life cycle in the office. Our exclusively designed range of highly efficient and perfectly compatible multifunctionals extends from entry-level office devices, including laser printers and small all-in-ones, to cutting-edge, high-performance production printing systems. Naturally, you always have the choice of colour as well as monochrome alternatives.

In combination with intelligent software applications, the innovative multifunctional systems from Konica Minolta bring together both digital and paper-based worlds. They therefore accommodate all the demands of the modern business with smooth workflows that help companies save time and money. Our competent solutions effectively enhance and accelerate our customers' business development.



INTUITIVE OPERABILITY

Operate the bizhub like a smartphone or tablet with fully customised user interface



PRODUCTIVITY

Reliability, high-speed scanning and printing, combined with powerful finishing functions



MOBILE CONNECTIVITY

Print anytime from anywhere with Konica Minolta's innovative mobile technologies



ACCESSIBILITY

Seamless operation of your bizhub device and valuable support for easier access and handling to suit users with special needs



SECURITY

Secure network integration, data encryption, HDD overwrite, and advanced user authentication



SERVICES

Efficient printer fleet management, including automatic consumables delivery, pro-active maintenance and remote setup



APPLICATION ECOSYSTEM

Enhanced efficiency thanks to Konica Minolta's extensive applications portfolio

bizhub C268i

COLOUR A3 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 26/26 ppm (mono/colour)
System speed A3	Up to 15/15 ppm (mono/colour)
1st page out time A4	5.2/6.8 sec. (mono/colour)
Warm-up time	Approx. 16 sec. (mono/colour) ¹
Panel size/resolution	7" / 800 x 480
System memory	6,144 MB (standard/max)
System hard drive	128 GB (standard) / 256 GB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder	Up to 130 originals; A5-A3; 35-128 g/m ² ; RADF
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	1,150 sheets / 3,650 sheets (standard/max)
Automatic duplexing	A6-SRA3; 52-256 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android); optional: Wi-Fi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 70/70 ipm in simplex (mono/colour) Up to 24/24 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX; PDF/A 1a and 1b optional: Searchable PDF; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Sheet insertion



Offset sorting



Banner printing



Corner Stapling (offline)

bizhub C251i

COLOUR A3 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Productivity



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 25/25 ppm (mono/colour)
System speed A3	Up to 15/15 ppm (mono/colour)
1st page out time A4	5.2/6.9 sec. (mono/colour)
Warm-up time	Approx. 11 sec. (mono/colour) ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	8,192 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder (optional)	Up to 100 originals; A6-A3; 35-163 g/m ² ; RADF or Dualscan ADF available
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	1,150 sheets / 6,650 sheets (standard/max)
Automatic duplexing	A6-SRA3; 52-256 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android); optional: Wi-Fi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 100/100 ipm in simplex (mono/colour) Up to 200/200 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX; PDF/A 1a and 1b optional: Searchable PDF; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion



Letter-fold



Booklet



Offset sorting



Banner printing



Corner Stapling (offline)

bizhub C301i

COLOUR A3 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Productivity



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 30/30 ppm (mono/colour)
System speed A3	Up to 15/15 ppm (mono/colour)
1st page out time A4	5.0/6.7 sec. (mono/colour) ¹
Warm-up time	Approx. 11 sec. (mono/colour) ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	8,192 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder (optional)	Up to 100 originals; A6-A3; 35-163 g/m ² ; RADF or Dualscan ADF available
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	1,150 sheets / 6,650 sheets (standard/max)
Automatic duplexing	A6-SRA3; 52-256 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android); optional: Wi-Fi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 100/100 ipm in simplex (mono/colour) Up to 200/200 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX; PDF/A 1a and 1b optional: Searchable PDF; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion



Letter-fold



Booklet



Offset sorting



Banner printing



Corner Stapling (offline)

bizhub C361i

COLOUR A3 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Productivity



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 36/36 ppm (mono/colour)
System speed A3	Up to 18/18 ppm (mono/colour)
1st page out time A4	4.6/6.1 sec. (mono/colour) ¹
Warm-up time	Approx. 11 sec. (mono/colour) ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	8,192 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder (optional)	Up to 100 originals; A6-A3; 35-163 g/m ² ; RADF or Dualscan ADF available
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	1,150 sheets / 6,650 sheets (standard/max)
Automatic duplexing	A6-SRA3; 52-256 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android); optional: Wi-Fi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 100/100 ipm in simplex (mono/colour) Up to 200/200 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX; PDF/A 1a and 1b optional: Searchable PDF; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion



Letter-fold



Booklet



Offset sorting



Banner printing



Corner Stapling (offline)

bizhub C451i

COLOUR A3 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Productivity



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 45/45 ppm (mono/colour)
System speed A3	Up to 22/22 ppm (mono/colour)
1st page out time A4	3.8/5.0 sec. (mono/colour)
Warm-up time	Approx. 12/13 sec. (mono/colour) ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	8,192 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder	Up to 300 originals; A6-A3; 35-210 g/m ² ; Dualscan ADF
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	1,150 sheets / 6,650 sheets (standard/max)
Automatic duplexing	A6-SRA3; 52-256 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android); optional: Wi-Fi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 140/140 ipm in simplex (mono/colour) Up to 280/280 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX; PDF/A 1a and 1b optional: Searchable PDF; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion



Letter-fold



Booklet



Offset sorting



Z-fold



Banner printing



Corner Stapling (offline)

bizhub C551i

COLOUR A3 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Productivity



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 55/55 ppm (mono/colour)
System speed A3	Up to 27/27 ppm (mono/colour)
1st page out time A4	3.3/4.3 sec. (mono/colour)
Warm-up time	Approx. 12/13 sec. (mono/colour) ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	8,192 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder	Up to 300 originals; A6-A3; 35-210 g/m ² ; Dualscan ADF
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	1,150 sheets / 6,650 sheets (standard/max)
Automatic duplexing	A6-SRA3; 52-256 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android) optional: Wi-Fi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 140/140 ipm in simplex (mono/colour) Up to 280/280 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX; PDF/A 1a and 1b optional: Searchable PDF; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion



Letter-fold



Booklet



Offset sorting



Z-fold



Banner printing



Corner Stapling (offline)

bizhub C651i

COLOUR A3 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Productivity



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 65/65 ppm (mono/colour)
System speed A3	Up to 32/32 ppm (mono/colour)
1st page out time A4	2.8/3.8 sec. (mono/colour)
Warm-up time	Approx. 12/13 sec. (mono/colour) ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	8,192 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder	Up to 300 originals; A6-A3; 35-210 g/m ² ; Dualscan ADF
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	1,150 sheets / 6,650 sheets (standard/max)
Automatic duplexing	A6-SRA3; 52-256 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android) optional: Wi-Fi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 140/140 ipm in simplex (mono/colour) Up to 280/280 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX; PDF/A 1a and 1b optional: Searchable PDF; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion



Letter-fold



Booklet



Offset sorting



Z-fold



Banner printing



Corner Stapling (offline)

bizhub C751i

COLOUR A3 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Productivity



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 75/70 ppm (mono/colour)
System speed A3	Up to 37/35 ppm (mono/colour)
1st page out time A4	2.8/3.8 sec. (mono/colour)
Warm-up time	Approx. 13/14 sec. (mono/colour) ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	8,192 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder	Up to 300 originals; A6-A3; 35-210 g/m ² ; Dualscan ADF
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	3,650 sheets / 6,650 sheets (standard/max)
Automatic duplexing	A6-SRA3; 52-256 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android) optional: Wi-Fi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 140/140 ipm in simplex (mono/colour) Up to 280/280 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX; PDF/A 1a and 1b optional: Searchable PDF; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion



Letter-fold



Booklet



Offset sorting



Z-fold



Banner printing



Corner Stapling (offline)

bizhub C3321i

COLOUR A4 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Services



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 33/33 ppm (mono/colour)
1st page out time A4	6.0/7.2 sec. (mono/colour)
Warm-up time	Approx. 13/15 sec. (mono/colour) ¹
Panel size/resolution	7" / 800 x 480
System memory	4,096 MB (standard/max)
System hard drive	16 GB (standard)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder	Up to 80 originals; A6-A4; 50-128 g/m ² ; Dualscan ADF
Printable paper size	A6-A4; customized paper sizes
Printable paper weight	60-210 g/m ²
Paper input capacity	600 sheets / 1,600 sheets (standard/max)
Automatic duplexing	A4; 60-210 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android) optional: Wi-Fi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 28/28 ipm in simplex (mono/colour) Up to 56/56 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



Duplex



**Corner
Stapling
(offline)**

bizhub C3351i

COLOUR A4 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Services



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 33/33 ppm (mono/colour)
1st page out time A4	5.6/6.3 sec. (mono/colour)
Warm-up time	Approx. 13/15 sec. (mono/colour) ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	5,120 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder	Up to 80 originals; A6-A4; 50-128 g/m ² ; Dualscan ADF
Printable paper size	A6-A4; customized paper sizes
Printable paper weight	60-210 g/m ²
Paper input capacity	600 sheets / 2,100 sheets (standard/max)
Automatic duplexing	A4; 60-210 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android) optional: Wi-Fi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 45/45 ipm in simplex (mono/colour) Up to 90/90 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX; PDF/A 1a and 1b optional: Searchable PDF; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



Duplex



**Corner
Stapling
(offline)**

bizhub C4051i

COLOUR A4 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Services



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 40/40 ppm (mono/colour)
1st page out time A4	4.8/5.4 sec. (mono/colour)
Warm-up time	Approx. 13/15 sec. (mono/colour) ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	5,120 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder	Up to 80 originals; A6-A4; 50-128 g/m ² ; Dualscan ADF
Printable paper size	A6-A4; customized paper sizes
Printable paper weight	60-210 g/m ²
Paper input capacity	600 sheets / 2,100 sheets (standard/max)
Automatic duplexing	A4; 60-210 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android) optional: Wi-Fi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 45/45 ipm in simplex (mono/colour) Up to 90/90 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX; PDF/A 1a and 1b optional: Searchable PDF; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



Duplex



**Corner
Stapling
(offline)**

bizhub C4751i

COLOUR A4 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Services



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 47/47 ppm (mono/colour)
1st page out time A4	4.3/4.7 sec. (mono/colour)
Warm-up time	Approx. 15 sec. (mono/colour) ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	6,144 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder	Up to 100 originals; A6-A4; 50-128 g/m ² ; Dualscan ADF
Printable paper size	A6-A4; customized paper sizes
Printable paper weight	60-210 g/m ²
Paper input capacity	600 sheets / 3,100 sheets (standard/max)
Automatic duplexing	A4; 60-210 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android) optional: Wi-Fi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 57/57 ipm in simplex (mono/colour) Up to 114/114 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX; PDF/A 1a and 1b optional: Searchable PDF; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



Duplex



**Corner
Stapling
(offline)**

bizhub C3301i

COLOUR A4 PRINTER



**Intuitive
operability**




**Mobile
connectivity**



Services



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 33/33 ppm (mono/colour)
1st page out time A4	8.7/9.6 sec. (mono/colour)
Warm-up time	Approx. 13/15 sec. (mono/colour) ¹
Panel size/resolution	7" / 800 x 480
System memory	3,072 MB (standard/max)
System hard drive	8 GB (standard)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Printable paper size	A6-A4; customized paper sizes
Printable paper weight	60-210 g/m ²
Paper input capacity	600 sheets / 2,100 sheets (standard/max)
Automatic duplexing	A4; 60-210 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android) optional: Wi-Fi Direct

FINISHING FUNCTIONALITIES



Duplex



**Corner
Stapling
(offline)**

bizhub C4001i

COLOUR A4 PRINTER



Intuitive operability



Mobile connectivity



Services



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS	
System speed A4	Up to 40/40 ppm (mono/colour)
1st page out time A4	8.0/8.7 sec. (mono/colour)
Warm-up time	Approx. 13/15 sec. (mono/colour) ¹
Panel size/resolution	7" / 800 x 480
System memory	4,096 MB (standard/max)
System hard drive	8 GB (standard)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Printable paper size	A6-A4; customized paper sizes
Printable paper weight	60-210 g/m ²
Paper input capacity	600 sheets / 2,100 sheets (standard/max)
Automatic duplexing	A4; 60-210 g/m ²

PRINTER SPECIFICATIONS	
Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android) optional: Wi-Fi Direct

FINISHING FUNCTIONALITIES



Duplex



Corner Stapling (offline)

bizhub 258i

BLACK & WHITE A3 MULTIFUNCTIONAL



Security



Sustainability

Intuitive
operabilityApplication
ecosystem

Services



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 25 ppm
System speed A3	Up to 15 ppm
1st page out time A4	5.2 sec.
Warm-up time	Approx. 16 sec. ¹
Panel size/resolution	7" / 800 x 480
System memory	6,144 MB (standard/max)
System hard drive	128 GB (standard) / 256 GB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder	Up to 130 originals; A5-A3; 35-128 g/m ² ; RADF
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	1,150 sheets / 3,650 sheets (standard/max)
Automatic duplexing	A6-SRA3; 52-256 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android) optional: Wi-Fi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 70/70 ipm in simplex (mono/colour) Up to 24/24 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX; PDF/A 1a and 1b optional: Searchable PDF; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES

Corner
staplingTwo-point
staplingTwo-hole
punchingFour-hole
punching

Duplex

Combined
mixplex/
mixmediaSheet
insertionOffset
sortingBanner
printingCorner
Stapling
(offline)

bizhub 328i

BLACK & WHITE A3 MULTIFUNCTIONAL



Security



Sustainability

Intuitive
operabilityApplication
ecosystem

Services



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 32 ppm
System speed A3	Up to 15 ppm
1st page out time A4	4.6 sec.
Warm-up time	Approx. 16 sec. ¹
Panel size/resolution	7" / 800 x 480
System memory	6,144 MB (standard/max)
System hard drive	128 GB (standard) / 256 GB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder	Up to 130 originals; A5-A3; 35-128 g/m ² ; RADF
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	1,150 sheets / 3,650 sheets (standard/max)
Automatic duplexing	A6-SRA3; 52-256 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android) optional: Wi-Fi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 70/70 ipm in simplex (mono/colour) Up to 24/24 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX; PDF/A 1a and 1b optional: Searchable PDF; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES

Corner
staplingTwo-point
staplingTwo-hole
punchingFour-hole
punching

Duplex

Combined
mixplex/
mixmediaSheet
insertionOffset
sortingBanner
printingCorner
Stapling
(offline)

bizhub 301i

BLACK & WHITE A3 MULTIFUNCTIONAL



Security



Productivity



Sustainability

Intuitive
operabilityApplication
ecosystem

Services



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 30 ppm
System speed A3	Up to 15 ppm
1st page out time A4	5.0 sec.
Warm-up time	Approx. 11 sec. ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	8,192 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder (optional)	Up to 100 originals; A6-A3; 35-163 g/m ² ; RADF or Dualscan ADF available
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	1,150 sheets / 6,650 sheets (standard/max)
Automatic duplexing	A6-SRA3; 52-256 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android) optional: WiFi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 100/100 ipm in simplex (mono/colour) Up to 200/200 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX; PDF/A 1a and 1b optional: Searchable PDF; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES

Corner
staplingTwo-point
staplingTwo-hole
punchingFour-hole
punching

Duplex

Combined
mixplex/
mixmedia

Half-fold

Sheet
insertion

Letter-fold



Booklet

Offset
sortingBanner
printingCorner
Stapling
(offline)

bizhub 361i

BLACK & WHITE A3 MULTIFUNCTIONAL



Security



Productivity



Sustainability

Intuitive
operabilityApplication
ecosystem

Services



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 36 ppm
System speed A3	Up to 18 ppm
1st page out time A4	4.6 sec.
Warm-up time	Approx. 11 sec. ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	8,192 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder (optional)	Up to 100 originals; A6-A3; 35-163 g/m ² ; RADF or Dualscan ADF available
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	1,150 sheets / 6,650 sheets (standard/max)
Automatic duplexing	A6-SRA3; 52-256 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android) optional: WiFi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 100/100 ipm in simplex (mono/colour) Up to 200/200 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX; PDF/A 1a and 1b optional: Searchable PDF; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES

Corner
staplingTwo-point
staplingTwo-hole
punchingFour-hole
punching

Duplex

Combined
mixplex/
mixmedia

Half-fold

Sheet
insertion

Letter-fold



Booklet

Offset
sortingBanner
printingCorner
Stapling
(offline)

bizhub 451i

BLACK & WHITE A3 MULTIFUNCTIONAL



Security



Productivity



Sustainability

Intuitive
operabilityApplication
ecosystem

Services



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 45 ppm
System speed A3	Up to 22 ppm
1st page out time A4	3.8 sec.
Warm-up time	Approx. 12 sec. ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	8,192 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder	Up to 300 originals; A6-A3; 35-210 g/m ² ; Dualscan ADF
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	1,150 sheets / 6,650 sheets (standard/max)
Automatic duplexing	A6-SRA3; 52-256 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android) optional: Wi-Fi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 140/140 ipm in simplex (mono/colour) Up to 280/280 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX; PDF/A 1a and 1b optional: Searchable PDF; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES

Corner
staplingTwo-point
staplingTwo-hole
punchingFour-hole
punching

Duplex

Combined
mixplex/
mixmedia

Half-fold

Sheet
insertion

Letter-fold



Booklet

Offset
sorting

Z-fold

Banner
printingCorner
Stapling
(offline)

bizhub 551i

BLACK & WHITE A3 MULTIFUNCTIONAL



Security



Productivity



Sustainability

Intuitive
operabilityApplication
ecosystem

Services



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 55 ppm
System speed A3	Up to 27 ppm
1st page out time A4	3.3 sec.
Warm-up time	Approx. 12 sec. ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	8,192 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder	Up to 300 originals; A6-A3; 35-210 g/m ² ; Dualscan ADF
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	1,150 sheets / 6,650 sheets (standard/max)
Automatic duplexing	A6-SRA3; 52-256 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android) optional: Wi-Fi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 140/140 ipm in simplex (mono/colour) Up to 280/280 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX; PDF/A 1a and 1b optional: Searchable PDF; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES

Corner
staplingTwo-point
staplingTwo-hole
punchingFour-hole
punching

Duplex

Combined
mixplex/
mixmedia

Half-fold

Sheet
insertion

Letter-fold



Booklet

Offset
sorting

Z-fold

Banner
printingCorner
Stapling
(offline)

bizhub 651i

BLACK & WHITE A3 MULTIFUNCTIONAL



Security



Productivity



Sustainability

Intuitive
operabilityApplication
ecosystem

Services



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 65 ppm
System speed A3	Up to 32 ppm
1st page out time A4	2.8 sec.
Warm-up time	Approx. 12 sec. ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	8,192 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder	Up to 300 originals; A6-A3; 35-210 g/m ² ; Dualscan ADF
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	1,150 sheets / 6,650 sheets (standard/max)
Automatic duplexing	A6-SRA3; 52-256 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android) optional: Wi-Fi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 140/140 ipm in simplex (mono/colour) Up to 280/280 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX; PDF/A 1a and 1b optional: Searchable PDF; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES

Corner
staplingTwo-point
staplingTwo-hole
punchingFour-hole
punching

Duplex

Combined
mixplex/
mixmedia

Half-fold

Sheet
insertion

Letter-fold



Booklet

Offset
sorting

Z-fold

Banner
printingCorner
Stapling
(offline)

bizhub 751i

BLACK & WHITE A3 MULTIFUNCTIONAL



Intuitive operability



Security



Application ecosystem



Productivity



Services



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 75 ppm
System speed A3	Up to 37 ppm
1st page out time A4	2.8 sec.
Warm-up time	Approx. 14 sec. ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	8,192 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder	Up to 300 originals; A6-A3; 35-210 g/m ² ; Dualscan ADF
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	3,650 sheets / 6,650 sheets (standard/max)
Automatic duplexing	A6-SRA3; 52-256 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android); optional: Wi-Fi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 140/140 ipm in simplex (mono/colour) Up to 280/280 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX; PDF/A 1a and 1b optional: Searchable PDF; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion



Letter-fold



Booklet



Offset sorting



Z-fold



Banner printing



Corner Stapling (offline)

bizhub 4221i

BLACK & WHITE A4 MULTIFUNCTIONAL



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 42 ppm
1st page out time A4	9.2 sec.
Warm-up time	Approx. 27 sec. ¹
Panel size/resolution	3.5" / 432 x 240
System memory	512 MB (standard/max)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 a/b/g/n
Automatic document feeder	Up to 50 originals; A6-A4; 64-90 g/m ² ; Dual Scan ADF
Printable paper size	A6-A4; customized paper sizes
Printable paper weight	60-230 g/m ²
Paper input capacity	350 sheets / 1,390 sheets (standard/max)
Automatic duplexing	A4; 60-105 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PostScript 3; XPS; PDF 1.7
Mobile printing	Mopria (Android); Konica Minolta Print Service (iOS/Android); Konica Minolta Mobile Print (iOS/Android); WiFi Direct; AirPrint (iOS)

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-999
Magnification	25-400% in 1.0% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 28/20 ipm in simplex (mono/colour) Up to 56/40 ipm in duplex (mono/colour)
Scan resolution	Up to 1,200 x 1,200 dpi
File formats	JPEG; TIFF; PDF; XPS; PDF/A; BMP

FAX SPECIFICATION

Fax standard	Super G3
Fax transmission	Analogue; i-Fax

FINISHING FUNCTIONALITIES



bizhub 5021i

BLACK & WHITE A4 MULTIFUNCTIONAL



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 50 ppm
1st page out time A4	8.2 sec.
Warm-up time	Approx. 27 sec. ¹
Panel size/resolution	7" / 432 x 240
System memory	2,048 MB (standard/max)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 a/b/g/n
Automatic document feeder	Up to 80 originals; A6-A4; 60-105 g/m ² ; Dualscan ADF
Printable paper size	A6-A4; customized paper sizes
Printable paper weight	60-230 g/m ²
Paper input capacity	620 sheets / 1,660 sheets (standard/max)
Automatic duplexing	A4; 60-105 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PostScript 3; XPS; PDF 1.7
Mobile printing	Mopria (Android); Konica Minolta Print Service (iOS/Android); Konica Minolta Mobile Print (iOS/Android); WiFi Direct; AirPrint (iOS)

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-999
Magnification	25-400% in 1.0% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 50/30 ipm in simplex (mono/colour) Up to 100/60 ipm in duplex (mono/colour)
Scan resolution	Up to 1,200 x 1,200 dpi
File formats	JPEG; TIFF; BMP; PDF; XPS; PDF/A

FAX SPECIFICATION

Fax standard	Super G3
Fax transmission	Analogue; i-Fax

FINISHING FUNCTIONALITIES



bizhub 4051i

BLACK & WHITE A4 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Services



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 40 ppm
1st page out time A4	4.8 sec.
Warm-up time	Approx. 13 sec. ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	5,120 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; USB 3.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder	Up to 80 originals; A6-A4; 50-128 g/m ² ; Dualscan ADF
Printable paper size	A6-A4; customized paper sizes
Printable paper weight	60-210 g/m ²
Paper input capacity	600 sheets / 2,100 sheets (standard/max)
Automatic duplexing	A4; 60-210 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android) optional: Wi-Fi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 45/45 ipm in simplex (mono/colour) Up to 90/90 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX; PDF/A 1a and 1b optional: Searchable PDF; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



Duplex



**Corner
Stapling
(offline)**

bizhub 4751i

BLACK & WHITE A4 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Services



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 47 ppm
1st page out time A4	4.3 sec.
Warm-up time	Approx. 13 sec. ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	5,120 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; USB 3.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder	Up to 80 originals; A6-A4; 50-128 g/m ² ; Dualscan ADF
Printable paper size	A6-A4; customized paper sizes
Printable paper weight	60-210 g/m ²
Paper input capacity	600 sheets / 2,100 sheets (standard/max)
Automatic duplexing	A4; 60-210 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android) optional: Wi-Fi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 45/45 ipm in simplex (mono/colour) Up to 90/90 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX; PDF/A 1a and 1b optional: Searchable PDF; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



Duplex



**Corner
Stapling
(offline)**

bizhub 4201i

BLACK & WHITE A4 PRINTER



Mobile connectivity



Services



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS	
System speed A4	Up to 42 ppm
1st page out time A4	7.2 sec.
Warm-up time	Approx. 25 sec. ¹
Panel size/resolution	1 line LCD
System memory	256 MB (standard/max)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 a/b/g/n
Printable paper size	A6-A4; customized paper sizes
Printable paper weight	60-230 g/m ²
Paper input capacity	620 sheets / 1,660 sheets (standard/max)
Automatic duplexing	A4; 60-105 g/m ²

PRINTER SPECIFICATIONS	
Print resolution	1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PostScript 3; XPS; PDF 1.7
Mobile printing	Mopria (Android); Konica Minolta Print Service (iOS/Android); Konica Minolta Mobile Print (iOS/Android); WiFi Direct; AirPrint (iOS)

FINISHING FUNCTIONALITIES



Duplex



Corner
Stapling
(offline)

bizhub 5001i

BLACK & WHITE A4 PRINTER



Mobile connectivity



Services



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS	
System speed A4	Up to 50 ppm
1st page out time A4	6.7 sec.
Warm-up time	Approx. 25 sec. ¹
Panel size/resolution	3.5"
System memory	1,024 MB (standard/max)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 a/b/g/n
Printable paper size	A6-A4; customized paper sizes
Printable paper weight	60-230 g/m ²
Paper input capacity	620 sheets / 1,660 sheets (standard/max)
Automatic duplexing	A4; 60-105 g/m ²

PRINTER SPECIFICATIONS	
Print resolution	1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PostScript 3; XPS; PDF 1.7
Mobile printing	Mopria (Android); Konica Minolta Print Service (iOS/Android); Konica Minolta Mobile Print (iOS/Android); WiFi Direct; AirPrint (iOS)

FINISHING FUNCTIONALITIES



Duplex



Corner Stapling (offline)

bizhub 4701i

BLACK & WHITE A4 PRINTER



Intuitive
operability



Mobile
connectivity



Services



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS	
System speed A4	Up to 47 ppm
1st page out time A4	7.4 sec.
Warm-up time	Approx. 17 sec. ¹
Panel size/resolution	7" / 800 x 480
System memory	4,096 MB (standard/max)
System hard drive	8 GB (standard)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; USB 3.0; Wi-Fi 802.11 b/g/n/ac (optional)
Printable paper size	A6-A4; customized paper sizes
Printable paper weight	60-210 g/m ²
Paper input capacity	600 sheets / 2,100 sheets (standard/max)
Automatic duplexing	A4; 60-210 g/m ²

PRINTER SPECIFICATIONS	
Print resolution	1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android) optional: Wi-Fi Direct

FINISHING FUNCTIONALITIES



Duplex



Corner
Stapling
(offline)

NOTES

NOTES

NOTES



KONICA MINOLTA

¹ Warm-up time may vary depending on the operating environment and usage

- All specifications refer to A4-size paper of 80 g/m² quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.